### $P \ C \ T$


# 特許性に関する国際予備報告(特許協力条約第二章)

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

出願人又は代理人 の書類記号 15-414	今後の手続きについては、様式PCT/IPEA/416を参照すること。	
国際出願番号 PCT/JP03/10225	国際出願日 (日.月.年) 11.08.2003	優先日 (日.月.年) 12.08.2002
国際特許分類 (IPC) Int. Cl'	C23C 28/00, 22/78	
出願人 (氏名又は名称) 株式会	社ケーヒン	

出願人(氏名又は名称) 株式会社ケーヒン
1. この報告書は、PCT35条に基づきこの国際予備審査機関で作成された国際予備審査報告である。 法施行規則第57条 (PCT36条) の規定に従い送付する。
2. この国際予備審査報告は、この表紙を含めて全部で3 ページからなる。
3. この報告には <b>次</b> の附属物件も添付されている。 a X 附属書類は全部で ページである。
図 補正されて、この報告の基礎とされた及び/又はこの国際予備審査機関が認めた訂正を含む明細書、請求の範囲及び/又は図面の用紙(PCT規則70.16及び実施細則第607号参照)
第 I 欄 4 . 及び補充欄に示したように、出願時における国際出願の開示の範囲を超えた補正を含むものとこの 国際予備審査機関が認定した差替え用紙
b 電子媒体は全部で
4. この国際予備審査報告は、次の内容を含む。
<ul> <li>▼ I 欄 国際予備審査報告の基礎</li> <li>第 II 欄 優先権</li> <li>第 II 欄 優先権</li> <li>第 IV 欄 新規性、進歩性又は産業上の利用可能性についての国際予備審査報告の不作成</li> <li>第 IV 欄 発明の単一性の欠如</li> <li>② 第 V 欄 P C T 3 5 条(2) に規定する新規性、進歩性又は産業上の利用可能性についての見解、それを裏付けるための文献及び説明</li> <li>第 VI 欄 ある種の引用文献</li> <li>第 YI 欄 国際出願の不備</li> <li>第 YI 欄 国際出願に対する意見</li> </ul>
国際予備審査の請求書を受理した日 05.03.2004 国際予備審査報告を作成した日 07.05.2004

国際予備審査の請求書を受理した日 05.03.2004	国際予備審査報告を作成した日 07.05.2004	
名称及びあて先 日本国特許庁 (IPEA/JP)	特許庁審査官(権限のある職員) 4 K 8 5 2	3 0
郵便番号100-8915 東京都千代田区霞が関三丁目4番3号	鈴 木 正 紀	
, , , , , , , , , , , , , , , , , , ,	電話番号 03-3581-1101 内線 3475	



国際出願番号 PCT/JP03/10225

第Ⅰ欄 報告の基礎					
1. この国際予備審査報告は、下記に示す場合を除くほか、国際出願の言語を基礎とした。					
この報告は、					
た差替え用紙は、この報告において「出願時」とし、こ	この報告に添付していない。)				
出願時の国際出願書類					
X 明細售     第 1-5     ページ、       第 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		で国際予備審査機関が受理したもの で国際予備審査機関が受理したもの			
X     請求の範囲       第     1-4     項、       第     5-7     項*、       第     項*、       第     項*、		正されたもの で国際予備審査機関が受理したもの で国際予備審査機関が受理したもの			
X     図面       第     1       第     ページ、       第     ページ、		で国際予備審査機関が受理したもので国際予備審査機関が受理したもの			
□ 配列表又は関連するテーブル 配列表に関する補充欄を参照すること。		• -			
3. 補正により、下記の書類が削除された。					
□ 明細書 第 □ 請求の範囲 第 □ 図面 第 □ 配列表(具体的に記載すること) □ 配列表に関連するテーブル(具体的に記述	ページ 項 ページ/図 載すること)				
4. この報告は、補充欄に示したように、この報えてされたものと認められるので、その補正	告に添付されかつ以下に示した補 がされなかったものとして作成し	正が出願時における開示の範囲を越 た。(PCT規則70.2(c))			
□ 明細書 第 □ □ 請求の範囲 第 □ □ 図面 第 □ □ 配列表(具体的に記載すること) □ 配列表に関連するテーブル(具体的に記	ページ 項 ページ/図 載すること)	· · · · · · · · · · · · · · · · · · ·			
* 4. に該当する場合、その用紙に "superseded" と	: 記入されることがある。				



国際出願番号 PCT/JP03/10225

. 見解	·		
新規性(N)	請求の範囲 請求の範囲	1-7	
進歩性(IS)	請求の範囲 請求の範囲	1-7	有 無
産業上の利用可能性(IA)	請求の範囲 請求の範囲	1-7	

#### 2. 文献及び説明 (PCT規則70.7)

1

国際調査報告で引用した文献には、A1系構造部材表面に密着する下地層と、その下地層表面に密着する防食皮膜とを有し、前記下地層はZnよりなるものにおいて、前記防食皮膜は3価Crを含む(Zn用)クロメート皮膜よりなることについては記載も示唆もなく、当業者にとって自明な事項でもない。

## 請求の範囲

- 1.  $A \mid X$ 構造部材( $1_o$ )表面に密着する下地層(2)と、その下地層(2)表面に密着する防食皮膜(3)とを有し、前記下地層(2)は $2_n$ よりなり、前記防食皮膜(3)は $3_m$ Crを含む $2_n$ 用クロメート皮膜よりなることを特徴とする耐食性 $A \mid X$ 構造部材。
- 2. A1系構造部材( $1_0$ )表面に、ジンケート処理によって、Znよりなる下地層(2)を形成する工程と、その下地層(2)表面に、3価クロメート剤を用いたクロメート処理によって、3価Crを含むZn用クロメート皮膜よりなる防食皮膜(3)を形成する工程とを用いることを特徴とする耐食性A1系構造部材の製造方法。
- 3. 前記ジンケート処理に要する処理時間 t<sub>1</sub> は、前記A1系構造部材(1<sub>0</sub>
  - )表面におけるZn析出量を増やして必要厚さの、Znよりなる前記下地層
- (2) を得ることができる値に設定され、前記クロメート処理に要する処理時間
- 15 t<sub>2</sub> は、そのクロメート処理による前記下地層(2)の溶解にも拘らず、その下地層(2)の厚さを確保した上でその下地層(2)表面に、3価Crを含む前記 Zn用クロメート皮膜を確実に形成することができる値に設定される、請求項2 記載の耐食性A1系構造部材の製造方法。
  - 4. 前記ジンケート処理に要する処理時間  $t_1$  が  $t_1 \ge 30$  s であり,前記クロメート処理に要する処理時間  $t_2$  が  $t_2 \le 15$  s である,請求項3記載の耐食性A1系構造部材の製造方法。
    - 5. (追加) A1系構造部材( $1_o$ )表面に密着する下地層(2)と、その下地層(2)表面に密着する防食皮膜(3)とを有し、前記下地層(2)は $2_n$ よりなり、前記防食皮膜(3)は3価 $C_r$ を含むクロメート皮膜よりなることを特徴とする耐食性A1系構造部材。
    - 6. (追加)A 1 系構造部材(1  $_0$  )表面に,ジンケート処理によって,Z n よりなる下地層(2 )を形成する工程と,その下地層(2 )表面に,3 価クロメート剤を用いたクロメート処理によって,3 価C r を含むクロメート皮膜よりなる防食皮膜(3 )を形成する工程とを用いることを特徴とする耐食性A 1 系構造部

30 材の製造方法。

25

5

7. (追加) 前記ジンケート処理に要する処理時間  $t_1$  は、前記A 1 系構造部材( $1_0$ )表面における2 n 析出量を増やして必要厚さの、2 n よりなる前記下地層(2)を得ることができる値に設定され、前記クロメート処理に要する処理時間  $t_2$  は、そのクロメート処理による前記下地層(2)の溶解にも拘らず、その下地層(2)の厚さを確保した上でその下地層(2)表面に、3 価C r を含む前記クロメート皮膜を確実に形成することができる値に設定される、請求項 6 記載の耐食性A 1 系構造部材の製造方法。

()

# English translation of International Preliminary Examination Report

(Article 12, Rules of practice 56)

(PCT Article 36 and PCT Rule 70)

Applicant's or agent's file refere	nce: FOR FURTH	IER ACTION:			ansmittal of
15-414				onal Preliminary Form PCT/IPEA/41	
International application No.	International filing	date (day/mont		Priority date (day/	
PCT/JP03/10225		08. 2003	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	12. 08. 2	• •
International Patent Classification (	PC) or national classi:	fication and IPC			
Int. Cl. <sup>7</sup> C2	3C 28/00, 22/78				
Applicant KEIHIN CORPO	PRATION				
1. This international preliminary	examination report	has been prepar	ed by this	International Prelim	ninary
Examining Authority and is tr					y
2. This REPORT consists of a to	tal of 3 sheets	including this o	over cheet		
2. This KEI OKI Consists of a to	tal of sheets	including this c	over sheer	•	
3. This report is also accompanie	ed by the following	ANNEXES.			
a ☑ These annexes consist of	fatotal of 2 she	ets.			
sheets of the description			ve been ar	nended and are the	basis for this
report and/or sheets co	ntaining rectification	ns made before t	this Author	rity	busis for this
(see Rule 70.16 and Se	ection 607 of the Ad	ministrative Inst	ructions u	nder the PCT).	
			•		
3. This report contains indicati	ons relating to the fo	ollowing items:			
☑ Column I Basis of th	e report				
Column II Priority					
Column III Non-establishment of opinion with regard to novelty, inventive step and industrial					
applicabil	ity				
☐ Column IV Lack of u	nity of the invention				
	statement under PC	T Article 35(2)	with regard	d to novelty, inventi	ve step or
	applicability: citatio		_	-	<del>-</del>
<u></u>	cuments cited	no ana ospianari	опо опрро	iting such statemen	•
	efects in the internat	ional annlication			
<u></u>		• •			
☐ Column VIII Certain of	oservations on the in	ternational appir	ication		
	<del></del>	<del></del>			
Data of submission of the downer		I pour et a constant			
Date of submission of the demand 05. 03. 2004	į	Date of complete		eport 05. 2004	
Name and mailing address of the IPI		Authorized offic			

Telephone No.

Form PCT/IPEA/409 (cover sheet) (July 1998)

Facsimile No.

# INTERNATIONAL PRELIMINARY EXAMINATION REPORT International application No. PCT/JP03/10225

	1 C1/31 03/10223
I. Basis of the report	
1. With regard to the language, all the elements marked above were available of language in which the international application was filed, unless otherwise in were available or furnished to this Authority in the following language the language of a translation furnished for the purposes of international state language of publication of the international application (under Rule to the language of the translation furnished for the purposes of international (under Rule 55.2 and/or 55.3).	ndicated under this item. These elements which is: tearch (under Rule 23.1(b)).
2. This report has been established based on the following application docume furnished to the receiving Office in response to an invitation under provisions of in this report as "originally filed" and are not annexed to this report. PCT Rule	of Article 6 (PCT Article 14) are referred to
the international application as originally filed.	
the description:	
pages 1 to 5 (1 to 7 in English version)	as originally filed
pagespages	, as originally fried , filed with the demand
pages, filed with the letter of	
the claims:	
Nos. 1 to 4, as originally filed Nos. 5 to 7, as amended under provisions of PC	The Australia and
Nos, filed with the demand Nos, filed with the letter of	
the drawings:	
page, as originally filed	
pages, filed with the demand	
pages, filed with the letter of	
the written sequence listing or the related table	
refer to the Supplemental Box concerning the written sequence listing	g
3. The amendments have resulted in the cancellation of:	
the description, pages	
the claims, Nos.	
the drawings, sheets/fig	
the written sequence listing (to be described concretely)	1.
the table relating to the written sequence listing (to be described conc	retely)
4. This report has been established as if (some of) the amendments had not been considered to go beyond the disclosure as filed, as indicated in the Su	een made, since they have
the description, pages	
the claims. Nos.	
the claims, Nos the drawings, sheets/fig	
the written sequence listing (to be described concretely)	
the table relating to the written sequence listing (to be described conc	retely) '

### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

ı	International application No.
	PCT/IP03/10225

Reasoned statement under Article 12 (PCT Article 35(2)) with regard to novelty, inventive step or industr applicability; citations and explanations supporting such statement				
Statement				
Novelty (N)	Claims 1 to 7 Claims	Yes No		
Inventive step (IS)	Claims 1 to 7 Claims	Yes No		
Industrial applicability (IA)	Claims 1 to 7 Claim	Yes No		

2. Documents and explanations (PCT Rule 70.7)

Documents cited in the ISR neither describe nor suggest a member comprising a base layer adhered to the surface of an Al-based structural member and a corrosion-inhibiting coating adhered to the surface of the base layer, the base layer comprising Zn, and the corrosion-inhibiting coating comprising a trivalent Cr-containing chromate coating for Zn, and it is not obvious for a person skilled in the art.

### WHAT IS CLAIMED IS

1. A corrosion-resistant Al-based structural member comprising a base layer (2) adhered to the surface of an Al-based structural member (1<sub>0</sub>), and a corrosion-inhibiting coating (3) adhered to the surface of the base layer (2), the base layer (2) comprising Zn, and the corrosion-inhibiting coating (3) comprising a trivalent Cr-containing chromate coating for Zn.

5

10

15

20

25

- 2. A process for producing a corrosion-resistant Al-based structural member, the process comprising a step of forming a base layer (2) comprising Zn on the surface of an Al-based structural member (1<sub>0</sub>) by a zincate treatment, and a step of forming a corrosion-inhibiting coating (3) comprising a trivalent Cr-containing chromate coating for Zn on the surface of the base layer (2) by a chromate treatment using a trivalent chromate agent.
- 3. The process for producing a corrosion-resistant Al-based structural member according to Claim 2, wherein a treatment time  $t_1$  required for the zincate treatment is set at a value that enables the amount of Zn deposited on the surface of the Al-based structural member  $(1_0)$  to be increased to give the base layer (2) comprising Zn having a required thickness, and a treatment time  $t_2$  required for the chromate treatment is set at a value that enables the trivalent Cr-containing chromate coating for Zn to be reliably formed on the surface of the base layer (2) while ensuring the thickness of the base layer (2), despite the base layer (2) being dissolved by the chromate treatment.
- 4. The process for producing a corrosion-resistant Al-based structural member according to Claim 3, wherein the treatment time  $t_1$  required for the zincate treatment is  $\geq 30$  s, and the treatment time  $t_2$  required for the chromate treatment is  $\leq 15$  s.

5. (added) A corrosion-resistant Al-based structural member comprising a base layer (2) adhered to the surface of an Al-based structural member (1<sub>0</sub>), and a corrosion-inhibiting coating (3) adhered to the surface of the base layer (2), the base layer (2) comprising Zn, and the corrosion-inhibiting coating (3) comprising a trivalent Cr-containing chromate coating.

5

10

15

20

- 6. (added) A process for producing a corrosion-resistant Al-based structural member, the process comprising a step of forming a base layer (2) comprising Zn on the surface of an Al-based structural member (1<sub>0</sub>) by a zincate treatment, and a step of forming a corrosion-inhibiting coating (3) comprising a trivalent Cr-containing chromate coating on the surface of the base layer (2) by a chromate treatment using a trivalent chromate agent.
- 7. (added) The process for producing a corrosion-resistant Al-based structural member according to Claim 6, wherein a treatment time  $t_1$  required for the zincate treatment is set at a value that enables the amount of Zn deposited on the surface of the Al-based structural member ( $t_0$ ) to be increased to give the base layer (2) comprising Zn having a required thickness, and a treatment time  $t_0$  required for the chromate treatment is set at a value that enables the trivalent Cr-containing chromate coating to be reliably formed on the surface of the base layer (2) while ensuring the thickness of the base layer (2), despite the base layer (2) being dissolved by the chromate treatment.